# **COVID-19 Proposed EDC Changes:**

- Addition of Protocol Deviation Report to collect delayed treatment, delayed and missed investigations and missed/delayed follow up visits.
- Addition of COVID-19 screening form (to be completed with consent addendum)

# Rationale:

• Current CRFs can capture the following data:

Treatment omissions, treatment delays (but not in real-time; if treatment held for extended time, reporting would be delayed), missed disease assessments, missed QOL /PRO, missed correlatives

But current CRFs do not capture the following data:

Missed or delayed labs, delayed disease assessment, delayed QOL/PRO, delayed correlatives, Missed or delayed Follow-Up visits and alternate assessments.

• FDA, EMA and HC COVID Guidance specifies that information must be documented (FDA specifically mentions captured in CRF) that explains basis for missing data including the relationship to COVID. This information will be summarized in the clinical study report.

# New CRFs:

## **Protocol Deviation Report**

Folder – Add Event rolling log, one time

COVID\_DEV\_Q note to IT: this is the "confirmation" form for this folder; load other forms if answer "yes" Protocol Deviations Related to COVID-19 - Question

Have there been any deviations to the protocol (e.g. extended delays in study treatment or response evaluations or missed investigations or visits etc.) for this patient that have occurred <u>as a result of COVID-19</u> <u>virus infection or COVID-19 outbreak</u>?

 $\circ$  Yes  $\circ$  No

Note:

- If a COVID-19 deviation has already been documented on another CRF (e.g. treatment omission as a result of COVID-19 outbreak reported on the Dose Modifications Table), it does not need to also be reported in this folder.
- Protocol non-compliance for reasons unrelated to COVID should not be documented on this form.

COVID\_DEV\_Q Required If yes, load COVID\_DEV\_RL

### COVID\_DEV\_RL

### **COVID-19 Protocol Deviation Log**

 Please record ALL protocol deviations related to COVID-19 virus infection/ COVID-19 outbreak by adding a log line for each deviation.

 Deviation Type
 Timing
 Reason for Deviation

	Deviation Type	(i.e. cycle 2 day 1)	Comments

DEV_TYP	DEV_TMG	DEV_REAS	SCHED_COM
<dev_type_d></dev_type_d>	Free text \$50	<dev_reas_d></dev_reas_d>	\$500
Required	Required	Required	

<DEV\_TYPE\_D> Anticipated extended delay Delayed response assessment Delayed lab Missed lab Delayed QOL completion Delayed QOL completion Delayed PRO completion Delayed correlative collection Delayed study visit Missed study Visit Alternate patient assessment (Phone or virtual visit) Other (specify box)

<DEV\_REAS\_D> COVID-19 Outbreak COVID-19 virus infection Other (specify)

#### COVID\_SCREEN\_Q

### **COVID-19 Screening**

Has patient been tested for COVID-19? O Yes O No

COVID\_SCREEN\_Q Required

If yes, load COVID\_SCREEN form

COVID\_SCREEN

#### **COVID-19 Screening**

COVID-19 Test Result:

Date of Testing: dd-mm-yyyy

Specimen Type:

Name of Lab:\_\_\_\_

Load additional screening form? Y/N

\_\_\_\_Free text

COVID_RESULT	COVID_TEST_DT	COVID_SPEC_TYP	COVID_LAB_NAME	COVID_LOAD_Q
<covid_result_d></covid_result_d>	Required	<covid_spec_typ_d></covid_spec_typ_d>	Required	Required
Required	Can't be in the future	Required		If yes, load additional
	Can't be prior to	-		form
	01NOV2019			

<COVID\_RESULT\_D> Positive Negative Indeterminate

<COVID\_SPEC\_TYP\_D> nasopharyngeal swab, viral throat swab sputum BAL Bronch wash pleural fluid lung tissue Other, specify