

LexEVS 6.x Pick List Detailed Design

Contents of this Page

- [Pick List Definition](#)
- [Pick List Definition logical model](#)
 - [Pick List Definition logical Model Description](#)
 - [Pick List Definition](#)
 - [Attributes of Pick List Definition](#)
 - [Pick List Entry Node](#)
 - [Attributes of Pick List Entry Node](#)
 - [Pick List Entry](#)
 - [Attributes of Pick List Entry](#)
 - [Pick List Entry Exclusion](#)
 - [Attributes of Pick List Entry Exclusion](#)
- [Possible forms of Pick List Definitions](#)
- [Examples of Pick List Definitions](#)
 - [Example 1](#)
 - [Example 2](#)
- [Pick List Definition Versions](#)
- [Pick List Services](#)
- [Value Set/Pick List GUI](#)

LexEVS Value Set Links


- [Value Set Guide Main Page](#)
 - [Value Set Design](#)
 - [Value Set Service API](#)
 - [Pick List Design](#)
 - [Pick List Service API](#)
 - [Value Set GUI](#)
- [Programmer's Guide Main Page](#)
- [LexEVS 6.0 Main Page](#)
- [LexEVS Current Release](#)

Pick List Definition

An ordered list of entity codes and corresponding presentations drawn from a resolved value set definition.

Pick List Definition logical model

Here is a UML representation of Pick List Definition with in LexGrid 201001 model:



Pick List Definition logical Model Description

Pick List Definition

An ordered list of entity codes and corresponding presentations drawn from a resolved value set definition.

Attributes of Pick List Definition

The following is a list of attributes of the pick list definition.

- **Source:** The local identifiers of the source(s) of this pick list definition. Must match a local id of a supportedSource in the corresponding mappings section.
- **pickListId:** An identifier that uniquely names this list within the context of the collection.
- **representsValueSetDefinition:** The URI of the value set definition that is represented by this pick list
- **defaultEntityCodeNamespace:** Local name of the namespace to which the entry codes in this list belong. defaultEntityCodeNamespace must match a local id of a supportedNamespace in the mappings section.
- **defaultLanguage:** The local identifier of the language that is used to generate the text of this pick list if not otherwise specified. Note that this language does NOT necessarily have any correlation with the language of a pickListEntry itself or the language of the target user. defaultLanguage must match a local id of a supportedLanguage in the mappings section.
- **defaultSortOrder:** The local identifier of a sort order that is used as the default in the definition of the pick list
- **defaultPickContext:** The local identifiers of the context used in the definition of the pick list.
- **completeSet:** True means that this pick list should represent all of the entries in the resolved value set definition. Any active entity codes that aren't in the specific pick list entries are added to the end, using the designations identified by the defaultLanguage, defaultSortOrder and defaultPickContext. Default: false

Pick List Entry Node

An inclusion (pickListEntry) or exclusion (pickListEntryExclusion) in a pick list definition

Attributes of Pick List Entry Node

pickListEntryId: Unique identifier of this node within the list.

Pick List Entry

An entity code and corresponding textual representation.

Attributes of Pick List Entry

The following are attributes of the pick list entry.

- **pickText:** The text that represents this node in the pick list. Some business rules may require that this string match a presentation associated with the entityCode
- **pickContext:** The local identifiers of the context(s) in which this entry applies. pickContext must match a local id of a supportedContext in the mappings section
- **entryOrder:** Relative order of this entry in the list. pickListEntries without a supplied order follow the all entries with an order, and the order is not defined.
- **entityCode:** Entity code associated with this entry.
- **entityCodeNamespace:** Local identifier of the namespace of the entity code if different than the pickListDefinition defaultEntityCodeNamespace. entityCodeNamespace must match a local id of a supportedNamespace in the mappings section.
- **propertyId:** The property identifier associated with the entityCode and entityCodeNamespace that the pickText was derived from. If absent, the pick text can be anything. Some terminologies may have business rules requiring this attribute to be present.
- **isDefault:** True means that this is the default entry for the supplied language and context.
- **matchIfNoContext:** True means that this entry can be used if no contexts are supplied, even though pickContext is present.
- **Language:** The local name of the language to be used when the application/user supplies a selection language matches. If absent, this matches all languages. language must match a local id of a supportedLanguage in the mappings section.

Pick List Entry Exclusion

An entity code that is explicitly excluded from a pick list.

Attributes of Pick List Entry Exclusion

The following are attributes of the pick list entry exclusion.

- **entityCode:** Entity code associated with this entry.
- **entityCodeNamespace:** Local identifier of the namespace of the entity code if different than the pickListDefinition defaultEntityCodeNamespace. entityCodeNamespace must match a local id of a supportedNamespace in the mappings section.

Possible forms of Pick List Definitions

The following are possible forms of the pick list definitions.

- Ability to include all the concept codes contained in the referenced value set resolution by setting completeSet flag to 'true'
- Ability to include individual pickText derived from concept code designation of the referenced code system
- Ability to exclude concept codes from the pick list
- Ability to combine any of the above

Examples of Pick List Definitions

Example 1


So we have a Code System "Automobiles" that contains concept codes, and we also have a Value Set Definition 'urn:BDExample1' that contains all the concept root code '@' from this code system.

To define the definition to include all the preferred designations from the concept codes that are contained in Resolved Value Set Definition 'urn:VDEExample1,' we could define it as

```
pickListDefinition
pickListId : PExample1
representsValueSetDefinition : urn:Vexample1
completeSet : true
```

And when this definition is resolved, we will get back all the preferred designations.

Say, we have a Code System 'Automobiles' that contains following concept codes and we also have a Value Set Definition 'urn:VDExample1' that contains all the concepts (except root code '@') from this code system:




So to define pick list definition to include all the preferred designations from the concept codes that are contained in Resolved Value Set Definition 'urn:VDExample1', we could define it as simple as:

```

pickListDefinition
pickListId : PLexample1
representsValueSetDefinition : urn:VDExample1
completeSet : true
  
```


And when this definition is resolved, we will get back all the preferred designations from the following concept codes :




Example 2

Similar to the above example, using the same Value Set Definition 'urn:BDExample1,' but this time we want to exclude concept code 'Tires.' This could be done by introducing picListEntryNode for exclusion. When the definition is resolved, we will get all the preferred designations from concept codes.

Similar to above example, using the same Value Set Definition 'urn:VDExample1', but this time we want to exclude concept code 'Tires'. This could be done by introducing pickListNode for exclusion as below:



And when this definition is resolved, we will get back all the preferred designations from the following concept codes :



Pick List Definition Versions

Pick List Definitions are versioned. The version of Pick List Definition changes when ever the definition is changed, it could be changing, adding or removing pickListNode.

Pick List Services

Visit [LexEVS 6.x Pick List Service](#) for detailed Pick List Definition Services documentation.

Value Set/Pick List GUI

Visit [LexEVS 6.x Value Set GUI](#) for detailed functionality and howto's about using Value Sets developer GUI tool