calnt 0012 (Single Page) - How To Add Data To An Existing Study

Problem: How To Add Data to an Existing Study

Topic: calntegrator Usage

Date entered: 08/25/2011

Release: Up to calntegrator 1.3

Solution

This guide shows how to add clinical annotation and genomic microarray data to an existing study in calntegrator, with a focus on common obstacles and pitfalls that may arise in the process. It assumes that you already have basic familiarity with the program and have created a study containing at least one source for both annotation and array data. It also assumes that you have additional sources available, namely:

- · Your clinical annotations in the form of a comma delimited text (CSV) file containing at least one field with unique IDs for each subject
- The host name of the caArray server where your data is stored, plus the experiment ID (if you set the data as private, you will also need the user name and password for accessing the data)
- Another two CSV files a 'mapping file' that maps the subject IDs in your annotations to their corresponding sample IDs in caArray, and a 'control training file' that lists the sample IDs of all control subjects

The guide is presented in a step-by-step instructional format, with each step accompanied by a screenshot from calntegrator.

Getting Started

1. Log into calntegrator via the application's main Web page.

National Cancer In	stitute		U.S. National	Institutes of Health www.cancer.gov
CaINTEGRATOR	08/2010 11:17 AM	Public Studies: - Please Select	2	Currently not logged in Login
call/TEGRATOR MERU Login Register	Welcome to calntegrator			æ
Support Tutorials User Guide	caintegrator is a web-based software application that allows research, without requiring programming experience. These enrich multidisciplinary research.	researchers to set up custom, caBIOB-compatible portals bring together heterogeneous clinical, micr	web portals to conduct int roarray and medical imagin	egrative ng data to
	To begin select a study from the "Public Stu Some features that allow a user to customize caintegrator? r	udies" drop down menu. equire a login. You are currently not logged in.		
	Username: hd2265 Password: Login Register New			

1 4 @ USA.004

First log into calntegrator via the application's main Web page. In this example, I've logged in with my username (hd2266).

1. Each installation of calntegrator can host several studies. When you first log in, you will be taken to the home page of the default study, which in this case is entitled 'jagla-00034'. Since this is not the study we want to add data to, you will want to bring up a list of available studies by clicking on the 'Manage Studies' link under the 'STUDY MANAGEMENT' menu in the navigation panel to the left.

National Cancer Inst	titute	U.S. Net	ional Institutes of Health www.cancer.gov
CaINTEGRATOR		My Studies jogio-00034	Welcome, hd2266 Logout
Sample Study Logo	Welcome to jagla-00034		۵
	Overview		
	Nane	jagla-00034	
JAGLA-00034	Description:	3 sample data files	
Home	Deployment Status:	Deployed	
Search jagla-00034	Data Dictionary:	View	
Create New List	Study Log:	View	
STUDY DATA	Subject Annotation Data	Une of the	
Saved Queries	Last income.	er en	
Saved Lists	Number of Association Columns	28	
	Renderal Definitions	Nel Conferred	
ARALTSIS TOOLS	Genomic Data	the competer	
KM PIOL	Hostname:	array.nci.nih.gov	
Gene Expression Plot	Host type:	The advenue	
GenePattern Analysis		CaArray	
STUDY MANAGEMENT	Experiment	Nane: jagla-00034 Array Patforms: HG-U133_Plus_2	
Manage Studies	Data Type:	Expression	
Create New Study	Last Modified:	Unavailable	
CONTROLLING MEMO	Central Tendency for Technical Replicates:	Mean	
Call TEGROATOR MENU	Number of Samples:	3	
support	Control Samples Set:	BC Lung Controls: 1	
TUTOTIAN			
User Guide			
	CONTACT US PRIVACY NOTICE DISCLAIM	EN ACCESSIBILITY SUPPORT	

XX & @ USA.02

Once you log in, you are taken to the home page of the default study, which in this case is 'jagla-00034'. The study we want to add data to is 'Demo Study for ICR Folks', which you can access by clicking on the 'Manage Studies' link (highlighted in red).

On the Manage Studies page, find the study entitled 'Demo Study for ICR Folks' in the table of studies, then click on the 'Edit' link under the Action column at the far right of the table.

aINTEGRATOR			My Stur	tiest <mark>– Please</mark> S	eett	🗾 Welcome, hd2266 L	.ogost
JOY MANAGEMENT lanage Studies reate New Study	Manage Studies View studies and dick Edit	to modify or click Delete.					0
VTEGRATOR MENU							
upport	Name	Description	Last Modified By	Status	Deployment Start Date	Deployment Finish Date	Action
utoriala	DC Lung Study Demo	Your description	noimanager	Not Deployed	2010/12/09 15:08:34	2010/12/09 15:41:57	Edit Dele
ser Guide	Demo Study for ICR Folks	This is a sample study	28	Deployed	2011/07/12 14:05:01	2011/07/12 14:12:48	Edit Dele
	jegis-00034	3 sample data files	ncimanager	Deployed	2009/12/07 16:02:07	2009/12/07 16:10:11	Edt Dek
	Lung-Study-Illapped	Full data set	noimanager	Deployed	2009/12/08 09:44:58	2006/12/08 10:08:30	FOX Dek
	Lung-Study-Mapped mytestforPaven	Full data set	ncimanager jyrc	Deployed Not Deployed	2009/12/08 09:44:58	2009/12/08 10:08:30	Edit Dek

CONTACT US PREVACY NOTICE DISCLAIMER ACCESSIBILITY SUPPORT

🚟 🦨 🎯 USA.001

You can edit the study entitled 'Demo Study for ICR Folks', which is at the top of the study list, by clicking on the 'Edit' link (highlighted in red).

Now you are on the 'Edit Study' page, where you can modify the existing study data or load more data into it. For the purposes of this tutorial, the areas of interest on the Edit Study page are 'Subject Annotation Data Sources' and 'Genomic Data Sources', whose respective headings are highlighted in the screenshot below.

Note that this study already has some subject annotation and genomic data loaded. The annotation data is in the form of the CSV file 'subject_annotation_DC_Lung_Study_111210.CSV', while the genomic data is in the form of a link to the address of the caArray server which hosts the data (array.nci.nih.gov), as well as an experiment identifier (jacob-00182) which references the particular experiment containing the data of interest. Later in this tutorial, we will examine in depth how to load more of this data into the study.

	re cerea			U.S. Nation	al institutes of Health www.cancer.gov
EGRATOR			Ny Studies: - Please Sel	lect -	Welcome, hd2266 Legad
			_		
Itudies	editing: Demo Study for	r ICR Folks			
rw Study	Edit Study				
TOR MENU	Configure your study, and click the Sav	e or Deploy Study button at the bottom of	the page when complete.		
	Study Overview				
e	study overview				
	Study Name:	Demo Study for ICR Folks		Study L	ogo: None File:
	Study Description:	This is a sample study			PESISE, 200/72 maximum
					G Upload Now
	Allow public to browse this study:				
	Status:	Deployed Minutes for deployment (approx/, 7			
	Owner	Zi			
	Last Modified By:	zii			
	Last Nodified Date:	07/12/2011 14:05:01			
	study Log.	🔍 View Log 🛛 🔀 Edit Log			
	Annotation Groups	🐥 Add New			
	Group Name	Description	Number of Annotations	Action	1
	Annotations - Default		4		Edit Group
	Demographic		1		C C C C C C C C C C C C C C C C C C C
					The concernent
	Rubinst Association Data Re				
	Subject Annotation Data Sc	urces vooreen	Edit survival values		
	Type Description	DC Luco Shelv 111210 day Londert 022	Action	1	1000
		projengjanagin en and	Edit Annob	ations 📋 🗃 Reload All Subjec	t Annotation Sources 🐺 Delete
	Genomic Data Sources		🏺 Add New		
	Host Name Experiment Identifier	File Description	Data Type	e Status Last Modified Ad	tion
	array.nci.nh.gov jacob-00182	Mapping Pile:	Expressio	n Loaded 07/12/2011	Edit 🛃 Nap Samples
		mapping_file_subjectD_array_sampleD_ki Control Sample Mapping Pile(s):	sk110510.psv	13.58.30	R Delote
		control_microarray@_training_file_cav.ca	r i i i i i i i i i i i i i i i i i i i		
	(
	Imaging Data Sources	😔 Add New			
	Host Name Collection	Name File Description	Status Last Modified	Action	
	ineging.nci.nit.gov RDER Lung	CT Annotation File: None Mapping File: Automatic	Loaded 07/12/2011 14:0	213 🥒 Edit 🗌 🕎 Edit Anno	tations 🛛 🝔 Delete
	External Links	5d New			
	Barne Description	File Name	Number of	Links	Action
		The sector	and the second s		
		C Deploy Stud	y 🔚 Save 🛛 🗱 Cancel		

CAL & @ USLOOM

This study already has subject annotation and genomic data loaded; they are listed beneath their respective headings, which are highlighted in red. Later in this tutorial, we'll learn how to load more data into this study.

Loading Additional Clinical Data

1. Now we're ready to load additional subject annotation data into the 'Demo Study for ICR Folks'. As mentioned before, you'll need the data in the form of a CSV file containing at least one field with a unique ID for each subject in the study. The CSV file we'll use in this tutorial is called 'subject_annotations_tutorial.CSV'. A partial screenshot of the file appears below as viewed in a Microsoft Excel 2007 window.

C	10-	(°I ~) =				subjec	t_annotation	s_tutorial.c	sv [Compatibi	lity Mode] -	Microsoft Excel
e	Home	Insert	Page Layout	Formula	as Data Review	v View	Add-Ins				
	Cut	c	alibri	* 11 *	A * * = = =	*	📑 Wrap Text	t	General	*	55
Pa	ste 🛷 Forma	t Painter	B I U -	- 🗠	· <u>A</u> · E = =		Merge &	Center 🕆	\$ - % ,	00. 0.	Conditional Formatting *
	Clipboard	5	F	ont	5	Alignme	nt	6	Numbe	r G	2
	A2	- (fx	5000							
	A	В	С	D	E	F	G	н	1	J	K
1	PATIENT_ID	Stratagene	SITE	GENDER	Survival in Months						
2	5000	1	L MI	Female	64.8						
3	5001	1	L MI	Female	33.9						
4	5002	1	l MI	Female	5.8						
5	5003	1	L MI	Male	50.2						
6	5004	1	L MI	Female	34.8						
7	5005	1	L MI	Male	71						
8	5006	1	l MI	Female	9						
9	5007	1	L MI	Female	44.94						
10	5008	1	L MI	Male	34.76						
11	5009	1	L MI	Female	15						
12	5010	(MI	Female	64.8						

This data came from a fictional multi-site study that compared gene expression between lung adenocarcinoma patients and healthy controls. The nature of the data itself is irrelevant to our purpose here. The relevant aspect is that the data is categorized into five fields, which are represented by columns in the spreadsheet.

Each field defines a different subject characteristic such as 'PATIENT_ID', which uniquely identifies each of the 100 subjects in this study (note that the screenshot above only displays data for the first 11 subjects). Once we've loaded the data into the study, we'll be able to query it by any of the fields.

To upload your data file, first click on the 'Add New' button to the right of the 'Subject Annotation Data Sources' heading.

National Cancer I	nstitute				J.S. National Insti	utes of Health www.cancer.go
CANTEGRATORIZ, RI, Z. J., GA I 6446: 1	9/08/2010 11:17 AM		My Studies:	Please Select	Nel Wel	come, hd2266 Legeut
DY MANAGEMENT Inage Studies	editing: Demo Study for ICF	R Folks				
ate New Study	Edit Study					
EGRATOR MENU	Configure your study, and click the Save or De	apiloy Study button at the bo	forn of the page when comp	piete.		
r Guide	Study Overview					
	Study Name: Der	no Study for ICR Folks			Study Logo:	None
	Study Description:	is a sample study			Logo File:	Choose File No file chose
	ine ine	is a sample study				Upload Now
	Allow public to browse this study:					
	Status: Dep	ayed				
	Status Description: Min, Owner: rli	tes for deployment (approx)	, 7			
	Last Modified By: 2i					
	Last Modified Date: 07/1	2/2011 14:05:01				
	Study Log: 🔍	View Log 🛛 📝 Edit Log				
	Annotation Groups	Add New				
	Group Name	Description	Number of Annotat	ions	Action	
	Annotations - Default		4			🔀 Edit Group
	Demographic		1			🔀 Edit Group
	Subject Annotation Data Source	s Add New	C Edit Survival Values	6		
	Type Description	Statu	a Last Modified Act	ion		
	DELMTED_TEXT subject_annotation_DC_L	ing_Study_111210.cav Load	ed 07/12/2011 13:49:36	Edit Annotations 🖉 Reload	All Subject Anno	tation Sources 🛛 🝔 Delete
	Genomic Data Sources			law		

You can load a new subject annotation data file into the existing study by clicking on the 'Add New' button (highlighted in red).

1. When you click on the button, the area below it will expand to display additional options. Click on the 'Choose File' button in the expanded area.

Subject Annotation Data Sources	🕂 Add New 🥒 Edit Survival Values
	Add New Subject Annotation Data Source: Choose File No file chosen
	Create a new Annotation Definition if one is not found:
	Upload Now

When you click on the 'Add New' button, the area below it will expand. Click on the 'Choose File' button (highlighted in red) in the expanded area.

1. When you click on the 'Choose File' button, you'll be prompted for the location of the data file with an Open dialog. Locate the CSV file containing your subject data, click on it, then click on the 'Open' button.

Open		<u>?</u> ×
Look in:	🔁 tutorial 💽 🔇 🎓 🖽 -	
My Recent Documents Desktop My Documents My Computer	<pre>control_microarrayID_training_file.xls mapping_file.xls subject_annotations_tutorial.csv % ~\$ding Data to an Existing Study in caIntegrator.doc % Adding Data to an Existing Study in caIntegrator.doc % step1.png % step18.png % step2.png % step4.png % step4.png % step4c.png</pre>	
My Network Places	File name: Ope Files of type: All Files Can Open as read-only Open as read-only	en cel

In this example, we click on the 'subject_annotations_tutorial.CSV' file (highlighted in red), then click on the Open button. Your own annotations file will be named differently.

1. Once you open your annotations file, you'll be taken back to the Edit Study page, where you can click on the 'Upload Now' button at the bottom of the area to load the file into the study.

Subject Annotation Data Sources	🕂 Add New 🖉 Edit Survival Values
	Add New Subject Annotation Data Source: Choose File subject_annottutorial.csv
	Create a new Annotation Definition if one is not found:
	Upload Now

Click on the 'Upload Now' button (highlighted in red) to load the subject data into the study.

Once you've uploaded the data, you'll encounter another page prompting you to define the various fields for your subject data. Since these fields
were already defined when the study was created, we don't need to modify them. Just click on the 'Save' button at the bottom of the page to
continue.

Mational Cancer In	stitute				U.S. National Institutes	of Health	www.cancer.gov
CaINTEGRATOR	98/2010 11:17 AM			My Studies: - Please Select	Velcor	ve, hd2266	ogod
STUDY MANAGEMENT Manage Studies	editing: Demo Study for	ICR Folks	1				
Create New Study	Define Fields for Subject	Data					
Support	Assign annotation definitions to data fiel	ids.					
lutonais User Guide	Annotation Group	Visible	Annotation Definition	Annotation Header from File	Data from	File	
	Annotationa - Default	R	Identifier Change Assignment	PATENT_D	5000	5001	5002
	Annotations - Default	R	Stratagene Change Assignment	Stratagene	1	1	1
	Annotations - Default	R	SITE Change Assignment	SITE	м	м	м
	Demographic 💌	9	GENDER Change Assignment	GENDER	Ferrale	Fenale	Ferale
	Annotations - Default	R	Survival in Months Change Assignment	Survival in Months	64.8	33.9	5.8
			1	Cancel Save			
	CONTACT U	S PRIVACY NO	TICE DISCLAIMER ACCE	SSIBILITY SUPPORT			

XXXX & @ USA.001

Click on the Save button (highlighted in red) to confirm your annotation field definitions.

 Back on the 'Edit Study' page, the newly uploaded source will now appear in the table beneath the 'Subject Annotation Data Sources' heading. Notice that the status of this source appears as 'Not Loaded' under the Status column. To change this, click on the 'Load Subject Annotation Source' button under the Action column.

Subject Annotation Data Sources 🖉 Add New Cell Survival Values							
Туре	Description	Status	Last Modified	Action			
DELIMITED_TEXT	subject_annotation_DC_Lung_Study_111210.csv	Loaded	07/12/2011 13:49:36	Edit Annotations & Reload All Subject Annotation Sources			
DELIMITED_TEXT	subject_annotations_tutorial.csv	Not Loaded	07/15/2011 16:37:27	🔯 Edit Annotations 🛛 🧬 Load Subject Annotation Source 🗍 😫 Delete 🗍			

The newly uploaded source now appears in the second row (highlighted in red) of the Data Sources table. Click on the 'Load Subject Annotation Source' button under the Action column to load the source.

The 'Edit Study' page has now reloaded and the status of the newly added source has changed to 'Loaded' under the Status column in the Data Sources table.

1	Subject Anno	tation Data Sources	New	🥜 Edit Survival Va	lues
	Туре	Description	Status	Last Modified	Action
	DELIMITED_TEXT	subject_annotation_DC_Lung_Study_111210.csv	Loaded	07/12/2011 13:49:36	Edit Annotations 🛛 🥔 Reload All Subject Annotation Sources 🛛 😫 Delete
	DELIMITED_TEXT	subject_annotations_tutorial.csv	Loaded	07/15/2011 17:22:42	😡 Edit Annotations 🛛 🦉 Reload All Subject Annotation Sources 🕽 😫 Delete 🗍

The status of the newly uploaded source now appears as 'Loaded' (highlighted in red) under the Status column.

1. To see what obstacles may arise in the course of loading additional data, let's try another file. This one, named 'duplicate_annotations_tutorial. CSV', contains the same five fields as each of the previously loaded files, including 'PATIENT_ID'. After repeating the procedure in steps 3 through 8, the Edit Study page displays an error message stating, "Value already loaded: Subject 3 already has a value for Stratagene" above the 'Annotation Groups' heading; in addition, the status of the newly loaded file shows as 'Error' under the 'Status' column of the 'Subject Annotation Data Sources' table.

V:	value already loaded: Subject 3 already has a value for Stratagenge										
[Annotation Groups 🛛 🖶 Add New										
	Group Name Description				Number of Ann	notations	Action				
	Annotations - Default			4			🔯 Edit Group				
l	Demographic				1		😡 Edit Group				
	Subject Anno	tation Data Sources	🐥 Add New	0 E	dit Survival Values						
	Туре	Description		Status	Last Modified	Action					
	DELIMITED_TEXT	ELIMITED_TEXT subject_annotation_DC_Lung_Study_111210.csv		Loaded	07/27/2011 11:22:07	🔯 Edit Annotations 🖉 Reload All	Subject Annotation Sources 🏾 🗰 Delete 🕽				
	DELIMITED_TEXT subject_annotations_tutorial.csv		v	Loaded	07/27/2011 11:27:40	🔯 Edit Annotations 🗍 🧬 Reload All	Subject Annotation Sources 🏾 🗰 Delete 🕽				
	DELIMITED_TEXT	duplicate_annotations_tutorial.c	87	Error	08/04/2011 11:45:03	📑 Edit Annotations) 🖉 Load Subje	ect Annotation Source 🛛 🗰 Delete				

After attempting to load the next annotation file 'duplicate_annotations_tutorial.CSV', the 'Edit Study' page shows the error message "Value already loaded: Subject 3 already has a value for Stratagene" (highlighted in red) and the status of the file shows as 'Error' (highlighted in blue).

To understand why this error is occurring, let's examine the contents of the new annotation file we just tried to load. A partial screenshot of the file appears below as viewed in a Microsoft Excel 2007 window.

	A	В
1	PATIENT	Stratagene
2	3	1
3	5	1
4	10	1
5	11	1
6	13	1
7	308	1
8	309	1
9	RIDER-112	1
10	RIDER-122	1
11	193	1
12	6000	0
13	6001	0
14	6002	0

Notice that this file contains not only new subjects (IDs 6000 to 6002), but also some of the same subjects (i.e., IDs 3, 5, and 10) from the previously loaded file "subject_annotation_DC_Lung_Study_111210.csv". In addition, the values in the 'Stratagene' field for these subjects are different in the new file than they were in the original file. This explains the 'Value Already Loaded' error message which occurs when we attempt to load the file – this message is another way of saying that the file we're trying to load contains duplicates of subjects from previously loaded files.

We've learned a valuable lesson from this exercise: when loading additional annotation data into an existing study, make sure that your annotation file doesn't contain any duplicates of existing subjects from previously loaded files.

Querying Clinical Data

 We can't query the study unless it's already been deployed. To check whether this is the case, scroll all the way down to the bottom of the 'Edit Study' page, where you'll see a row of three buttons. If the study has been deployed, as is the case in our example, the left button labeled 'Deploy Study' will be grayed out and you will not be able to click on it. If, however, the study hasn't been deployed, the button will appear normally, and you can click on it to deploy the study.

	(Deploy S	Study	😫 Cancel)	
CONTACT US	PRIVACY NOTICE	DISCLAIMER	ACCESSIBILITY	SUPPORT		
			USA.gov			

The bottom of the 'Edit Study' page shows the 'Deploy Study' button (highlighted in red). In this example, the study has already been deployed so this button is grayed out. If your study hasn't yet been deployed, the button will appear normally, and you can click on it to deploy the study.

1. Now that we've loaded our clinical data into the study, let's query it. To get started, click on the link 'Search Demo Study for ICR Folks' under the menu 'DEMO STUDY FOR ICR FOLKS' in the navigation panel to the left.

Mational Cancer In	stitute	U.S. N	ational Institutes of Health www.cancer.gov
CaINTEGRATOR	RISKO FLIST AN	Studiese Demo Study for ICR Folks	Welcome, hd2266 Lagest
Sample Study Logo	Welcome to Demo Study for ICR Folks		۵
(max. 200gx \ 72px)	Overview		1
	Nare	Demo Study for ICR Folks	
DEMO STUDY FOR ICR FOLKS	Description	This is a sample study	
Home	Deployment Status	Deployed	
Search Demo Study for ICR Folks	Data Dictionary:	View	
Create New List	Study Log.	New	
STUDY DATA	Subject Annotation Data		
Saved Queries	Last Modified	07/16/2011 17:22:42	
Saved Lists	Number of Subjects	4	
	number of Association Country.	Net Configured	
ARALYSIS TOOLS	Genomic Data	the contract of	
Care Deservation Dist	Hostname	array.nci.nih.gov	
GenePattern Anabala	Host type	CaArray	
Generation Analysis			
STUDY MANAGEMENT	Experiment	Array Pattorns: HG-U133A	
Manage Studies	Data Type:	Expression	
Create New Study	Last Modified	07/12/2011 13:58:30	
	Central Tendency for Technical Replicates	Mean	
Camile GRATOR MENU	Relative Standard Deviation Threshold for Technical Replicates:	50.0%	
Tudestale	Number of Samples.	462	
i usonalis	Cantrol Samples Set.	controls: 10	
User Glade	Imaging Data		
	Hostname	imaging.nci.nlh.gov	
	Corectain	HIDER Lung CT	
	Last Modified.	0	
	Namer of wage Stores Mapper. Maniper of Issues Dates Hassed	4	
	Number of Image Series Wagper	4	
	Number of Annatation Columns:	0	
	CONTACT US PRIVACY NOTICE DISCLAMER ACCESSIBLE	Y SUPPORT	
	LUTIN & LD -1		
	SHE L. D USA.cov		

Click on the link 'Search Demo Study for ICR Folks' (highlighted in red) to perform a query on the annotation data you just uploaded.

1. On the 'Search' page, under the Criteria tab, we can define multiple criteria to query the study by. These criteria correspond to the various fields we previously defined in our annotation data. To review, those fields are 'Patient ID', 'Stratagene', 'Site', 'Gender', and 'Survival (in months)'.

As an example, let's say we want to query the data for all male subjects located at the 'MI' study site. In this case, our two query criteria are 'Site' and 'Gender', and their respective query values are 'MI' and 'Male'. We can formulate the query by first clicking on the 'Add' button to the right of the drop-down list under the 'Define Query Criteria' heading.

Search Demo Study for ICR Folks

Criteria	Results Type	Sorting	Query Results	Save query as							
Define Query Criteria for: Unsaved Query											
Annotations - Default											
			No criteria added	I. Please select criteria from the pulldown box.							
Cor € and	○ or [●] and										
_				Run Query							

To begin formulating your query, click on the 'Add' button (highlighted in red).

1. Next, click on the drop-down list that appears below the 'Add' button. The list contains three items: 'Site', 'Stratagene', and 'Survival in Months'. Click on 'Site'.

Criteria	Results Type	Sorting	Query Results	Save query as						
Define Query Criteria for: Unsaved Query										
Annotations - Default Add										
Annotations - Default	SITE	-	•							
Cor ⊙and	SITE Stratagene Survival in Month	s		Run Query						

Click on 'Site' (highlighted in red) from the Annotations drop-down list to select it as a query criterion.

1. Once you click on 'Site', another two drop-down lists will appear to the right of the original one. Click on the third (rightmost) list to bring up the different values for Site and click on 'MI' from this list.

Criteria	Results Type	Sorting	Query Results	Save query as						
Define Query Criteria for: Unsaved Query										
Annotations -	Default	💌 🌳 Add								
Annotations Default	SITE		equ	als	×	MI DFCI	Remove			
C or € and	I Contraction of the second									
				Run Query		monu-				

Click on 'MI' (highlighted in red) in the drop-down list of values for the Site field.

1. We also want to query by Gender. Due to the way that the study was originally set up, the Gender field isn't included in the default set of annotations – it's part of a separately defined set called 'Demographic'.

To add Gender as a field, go back to the original drop-down list (the one at the top), click on it again, click on 'Demographic' in the list, and then click on the 'Add' button to the right of the list.

Criteria	Results Type	Sorting	Query Results	Save query as						
Define Qu	Define Query Criteria for: Unsaved Query									
Demographic Apostations Demographic Gene Express Unique Identif Demain	Default Fion fer	Add	equa	ls		M		C Remove		
C or F and										
				Run Query						

Select Demographic (highlighted in red) from the drop-down list, then click on the Add button (also highlighted in red).

1. Next, a new drop-down list labeled 'Demographic' will appear below the one labeled 'Annotations – Default'. Click on this new list, then click on 'GENDER'.

Criteria	Results Type	Sorting	Query Results	Save query as							
Define Qu	Define Query Criteria for: Unsaved Query										
Demographic		Add									
Annotations Default	SITE		equ	als	MI	¥	😳 Remove				
Demographic	GENDER Please Select -	-					🔘 Remove				
C or € and	GENDER										
				Run Query							

Click on 'GENDER' in the 'Demographic' drop-down list.

1. Once you click on 'Gender', another two drop-down lists will appear to the right of the original one. Click on the third (rightmost) list to bring up the different values for Gender and click on 'Male' from this list.

Criteria	Results Type	Sorting	Query Results	Save query as							
Define Query Criteria for: Unsaved Query											
Demographic	-	• 🖶 Add									
Annotations Default	SITE		equ	Jala	•	MI	×				
Demographic	GENDER		• equ	uais		Male Female	<u>×</u>				
Cor €an	d					Male					
				Run Query							

Click on 'Male' (highlighted in red) in the third (rightmost) drop-down list labeled 'Demographic'.

1. Now that we've fully defined our query, we're ready to run it. Click on the 'Run Query' button at the bottom of the page to see the results.

Criteria	Results Type	Sorting	Query Results	Save query as						
Define Query Criteria for: Unsaved Query										
Demographic		MbA 🕹								
Annotations - Default	SITE		equ	als		MI	*	O Remove		
Demographic	GENDER		equ	ala		Male	×	😳 Remove		
C or C and										
_				Run Query						

Click on the 'Run Query' button (highlighted in red) to see results.

The query results appear under the 'Query Results' tab as a table of subject IDs that fit the specified criteria – in other words, male subjects who
were located at the MI site. Note that these results include subjects not only from the annotations that we uploaded in this tutorial, but also from
the pre-existing ones. You can confirm this by noting that some of the subject IDs in the results screenshot below (i.e., 709, 706) fall outside the
range of IDs from the annotation file we just uploaded (i.e., 5000 to 5099).

You can sort these results in numerical order of subject ID by clicking on the 'Subject ID' heading above the right table column.

Criteria	Results Type	Sorting	Query Results	Save query as		
Query Res	ults for: Unsaved	d Query			Results per Page: 20 Apply	۵
24 items found, o	lisplaying 1 to 20. (First/F	Prev] 1, 2 [Next/La	ist]			
Select Image All None			Select Subj All None	ect	Subject ID	
			4		5003	
			5		709	
			4		5043	
			5		706	
			v		5068	
			S		5073	-
			v		5028	
			S		5033	
			v		5063	
			5		5065	
			N		5013	
×						F
	📑 Exp	ort To CSV	🔚 Save Subje	t List E Forward 1	To NBIA Retrieve DICOM Images	

You can sort query results by clicking on the Subject ID heading (highlighted in red) above the right column.

1. You can customize the display of query results by clicking on the 'Results Type' tab at the top of the page and selecting additional fields to be displayed via the checklists for each annotation set. In this example, we checked off 'Stratagene' and 'Survival in Months' in the default annotation checklist.

Criteria	Results Type	Sorting	Query Results	Save query as				
Select Results Type:								
• Annotation • Gene Expression Gene Expression result type - will display a gene expression data matrix. Copy Number result type - will display segmentation data with Chromosome position. Annotation result type - will display tabular data, including column selection.								
Select Col	umns for Results	5						
Annotations -	Default			Den	ographic			
SITE Stratagene Survival in	Months				ENDER			
Select All	Jnselect All			Se Run Qu	lect All Unselect All			

You can select additional fields (highlighted in red) to be displayed in the query results by selecting them from the checklists in the 'Results Type' tab, then clicking on the 'Run Query' button (also highlighted in red).

If you now click on the 'Run Query' button at the bottom right of the page, the results will be displayed again under the 'Query Results' tab, but this time with the additional columns Stratagene and Survival in Months, which correspond to the new fields we selected.

Criteria	Results Type	Sorting	Query Results	Save query as					
Query Results for: Unsaved Query Results per Page: 20 💌 Apply 🥹									
24 tems found, displaying 1 to 20. [FirstFrev] 1, 2 [Next1Last]									
Select Image		Select Subject		Subject ID	Stratagene	Survival in Months			
		N		5043	1	50.2			
		9		5028	1	34.76			
		N		5088	1	34.76		- 1	
		9		706	1	71			
		N		5005	1	71		- 1	
		R		5063	1	50.2		-	
		N		5073	0	50.2			
		R		5065	1	71			
		N		5068	1	34.76			
		R		5025	1	71			
		M		5045	1	71		-	
×								2	
	📄 Exp	port To CSV	Save Subj	ect List For	ward To NBIA	Retrieve DICOM Image	es		

The updated query results include two additional columns (highlighted in red) which correspond to the two additional fields we selected under the 'Results Type' tab.

1. To save this query in calntegrator for future reference, click on the 'Save query as..' tab at the top of the page, enter a name and description for the query in the respective fields, and click on the 'Save Query' button at the bottom.

Criteria	Results Type	Sorting	Query Results	Save query as					
Save This Query									
Query Name: Tutorial									
		scription: A demonstra	tion query done for the						
				Save Query					

You can save the query by clicking on the 'Save query as..' tab, entering a query name and description, and clicking on the 'Save Query' button (highlighted in red).

1. Once the query is saved, the Search page will reload and the Study Data menu in the left navigation panel will expand to show the newly saved query 'Tutorial' under the 'My Queries' heading. You can click on the magnifying glass icon to the left of the Tutorial link to bring up the query results again, or on the pencil icon to edit the query criteria.

National Cancer Ins	titute						U.S. Nation	al Institutes of Health w	viii.cancer.gov
CaINTEGRATOR	2010 11:17 AM				My Studie	Demo Study for ICR Fold		Welcome, hd2266 La	and (
Sample Study Logo	Search De	mo Study for Results Type	ICR Folks	Query Results	Save query as				
DEMO STUDY FOR ICR FOLKS Home Search Demo Study for ICR Folks Create New List	Define Que	ery Criteria for: 1	futorial	,					۵
Study DATA Saved Queries My Queries	Annotations - Default Demographic	GENDER			punda punda	• [1	ale		Q Remove
Saved Lists ARALYSIS TOOLS KIII Plot	C or C and	I			🔍 Run Que	a)			
Gene Expression Plot GenePattern Analysis STUDY MARAGEMENT									
Manage Studies Create New Study commetigation Memo									
Support Tutoriala Uxer Guide									
		CONTACT	IUS PRIVACY	NOTICE DISCLAIM	ER ACCESSIBLITY	SUPPORT			

🚟 🦨 🎯 T<u>SA.007.</u>

The 'Tutorial' query (highlighted in red) is now saved under the 'STUDY DATA' menu in the left navigation panel and can be accessed at any time.

Loading Another Genomic Dataset

Now that you've uploaded your clinical data and learned how to query it, you're ready to do the same with your array and mapping data. To review, you'll need the server host name for your caArray data, the experiment ID, and your mapping and control training CSV files.

- 1. To begin, navigate back to the 'Edit study' page for the 'Demo Study for ICR Folks'. If you forgot how to do this, you can refer to step 2 in this tutorial.
- 2. On the 'Edit study' page, scroll down to the 'Genomic Data Sources' heading. The table below it shows that one source has already been loaded and mapped. To add another, start by clicking the 'Add New' button to the right of the heading.

Genomic Data Sources			😔 Add Nev	v				
	Host Name	Experiment Identifier	File Description		Data Type	Status	Last Modified	Action
	array.nci.nih.gov	jacob-00182	Mapping File: mapping_file_subjectD_array_sampleID_kak110510. Control Sample Mapping File(s): control_microarrayID_training_file_csv.csv	csv	Expression	Loaded	07/12/2011 13:58:30	Celete

Click on the 'Add New' button (highlighted in red) to begin adding a new genomic data source.

1. On the 'Edit Genomic Data Source' page, most fields are pre-populated with default values. These include the server hostname, which is set to array.nci.nih.gov. As it happens, this is the server where our example array data is stored.

Every data source in caArray has a unique experiment ID that distinguishes it from the other sources. You can enter the ID for your experiment in the 'caArray Experiment Id' field, which is about halfway down the page. If you don't enter the ID for your source, then caIntegrator won't be able to retrieve your data, and will display an error message to that effect. In our example, the experiment ID is 'jacob-00182', which we enter in the field.

If your server hostname or any of the other values for your data source differ from the default values, then enter them into their respective fields, then click on the 'Save' button at the bottom of the page. (Remember that, if your study is private, you must enter the login credentials into the 'Username' and 'Password' fields.)

National Cancer Ins	titute		U.S. Nationa	Institutes of Health www.cancer.gov	
CaINTEGRATOR	2010 11:17 AM		My Studies: - Please Select -	×	Welcome, hd2266 Lagaut
STUDY MANAGEMENT Manage Studies Create New Study	editing: Demo Study for ICR Folks				
caINTEGRATOR MENU Support	Enter data source parameters and click Save.				
Tutorials User Guide	Data Source				
	caArray Web URL: caArray Server Hostname: (Note: caArray v 2.3 or newer is required) caArray Server JNDI Port: caArray Username: caArray Password: caArray Password: caArray Password: caArray Password: caArray Password: Caarray Experiment & Vendor: Data Type: Platform: Use Supplemental Files Central Tendoncy for Technical Replicates: Indicate if Technical Replicates have statistical variati Standard Deviation Threshold: Save	https://array.nci.nih.gov/ array.nci.nih.gov/ 8000 [accel-00182] Affirmetrix = Expression = HG-U133A = Mean = Nity: = Relative (Percentage) = 50.0			
	CONTACT US PREVACY NOT	CE DISCLAIMER ACCES	SEBILITY SUPPORT		



Enter the values for your data source if they differ from the default values, then click on the 'Save' button (highlighted in red). Don't forget to enter your caArray experiment ID – the ID for our example source is 'jacob-00182'.

1. Back on the 'Edit Study' page, a new row has appeared in the 'Genomic Data Sources' table which corresponds to the new data source we just added. Our next step is to map the samples in this source to the subjects in our annotation source. To begin, click on the 'Map Samples' button under the 'Action' column at the right of the table.

Genomic Data	a Sources	🗳 Add N	4 Add New			
Host Name	Experiment Identifier	File Description	Data Type	Status	Last Modified	Action
array.nci.nih.gov	jacob-00182	Mapping File: mapping_file_subjectID_array_sampleID_kak110510.csv Control Sample Mapping File(s): control_microarrayID_training_file_csv.csv	Expression	Loaded	07/12/2011 13:58:30	 Edit Map Samples Delete
array.nci.nih.gov	jacob-00182	Mapping File: None Configured Control Sample Mapping File(s): None Configured	Expression	Not Mapped	07/19/2011 14:48:08	Celit C Map Samples

The newly added row (highlighted in red) in the Genomic Data Sources table corresponds to the new genomic data source we added in step 24. Click on the 'Map Samples' button (highlighted in blue) to map the samples to subjects from the annotation source we added in steps 3 to 8.

1. The 'Edit Sample Mappings' page displays a list of unmapped samples, followed by another list mapping sample IDs to subject IDs. As you can see, the mapping list is empty, which means that none of the samples in this source have been mapped yet! The list of unmapped samples appears under the heading 'Unmapped Samples' and subheading 'Sample Name'. The numbers in this list represent the sample IDs of the unmapped samples.

National Cancer Inst	iitute			U.S. National Institutes of Health www.cancer.gov
	2010 11:17 AM		My Studies: - Please Select -	Welcome, hd2266 Legest
STUDY MANAGEMENT Manage Studies	editing: Demo Study for	ICR Folks		
Create New Study calintECRATOR MENU Support Tutorials	Edit Sample Mappings Upload mapping files and click Map Sam	npies.		
User Guide	Data Source Suly (For parsed Cakray experiment use 2 Control Sample Sets	caArray Server Hostnam: anayoci caArray Server JND/Port 2000 caArray Username caArray Username caArray Exerniment At sochor 2000 control Sample Set Name? Control Sample Set Name? Control Sample Set Name? Cancel	IN gov IN2 File to file chosen File to file chosen Map Samples	
	Set Hame Sample Mappings Unmapped Samples 1 1 1 1 1 1 1 1 2 1 2 1 2 1 3 4 1 1 2 1 2 1 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		engle læns	

The 'Edit Sample Mappings' page shows a list of IDs for unmapped samples (highlighted in red).

Your mapping CSV file must map the subject IDs in your annotations to the sample IDs in the unmapped samples list. A screenshot of the mapping file used in this tutorial, taken from a Microsoft Excel 2007 window, is shown below. The file is a table of two columns with no headings; the first column contains IDs of the subjects from the annotation source and the second column contains IDs from the unmapped samples list. Each subject in the left column corresponds to the sample in the right column. Note that the file doesn't map every single sample ID from the data source.



2.

This CSV file maps the subject IDs from our annotation source (left column) to the sample IDs in our genomic source (right column).

To add your mapping CSV file to the study, click on the 'Choose File' button next to the 'Subject to Sample Mapping File' label.

Edit Sample Mappings

Upload mapping files and click Map Samples.

Data Source	
caArray Server Hostname:	array.nci.nih.gov
caArray Server JNDI Port:	8080
caArray Username:	
caArray Experiment Id:	jacob-00182
Subject to Sample Mapping File:	Choose File No file chosen
(For parsed CaArray experiment use 2 column format mapping file) Control Sample Set Name*:	
Control Samples File:	Choose File No file chosen
	Cancel Map Samples

Click on the 'Choose File' button (highlighted in red) to choose a mapping file to open.

In the Open dialog that follows, find your mapping file, click on it, and then click on the 'Open' button. (In our example, the mapping file is named 'mapping_file_tutorial.CSV'.)

Open				? ×
Look in:	🗀 tutorial		- 0 🕫 🖻	 -
My Recent Documents Desktop My Documents	control_microa mapping_file.xi subject_annot subject_annot subject_annot ~\$ding Data to Adding Data to step 1.png step 18.png step 2.png step 3.png step 4.png step 4.png	rrayID_training_file.xls ls ations_xls utorial.csv ations_tutorial.csv o an Existing Study in caIntegrate o an Existing Study in caIntegrate	step5.p step5.p step6.p step7.p step8.p step9.p or.doc step10. step11b step11b step13. step14. step15. step16.	ng ng ng ng png png png png png png png
My Computer	•			
	File name:	mapping_file_tutorial.csv	<u>•</u>	Open
My Network Places	riles of type:	Open as read-only	<u>•</u>	Cancel

To open your mapping file, click on the 'mapping_file_tutorial.CSV' file (highlighted in red), then click on the 'Open' button (highlighted in blue).

1. Back on the 'Edit Sample Mappings' page, the filename of the mapping file you just opened is now displayed to the right of the 'Choose File' button from step 26.

While the 'Edit Sample Mappings' page lists all the samples from your source (both mapped and unmapped), it doesn't indicate which of these samples came from cases and which came from controls.

Since this information may be considered important to your study, we need a way of distinguishing between the cases and controls. The way that calntegrator addresses this need is with a 'control training file' that lists the sample IDs of all the controls. Any sample that is *not* listed in this file comes from a case. The screenshot below shows a portion of an example training file in CSV format from a Microsoft Excel 2007 window.



A portion of a control training file listing the sample IDs of all the controls from our example data source. You don't need to understand the format or nomenclature of the sample IDs – they were generated by the instrument or technician who ran the samples.

To add your control training CSV file to the study, click on the 'Choose File' button next to the 'Control Samples File' label.

Edit Sample Mappings

Upload mapping files and click Map Samples.

Data Source
caArray Server Hostname: array.nci.nih.gov
caArray Server JNDI Port: 8080
caArray Username:
caArray Experiment Id: jacob-00182
Subject to Sample Mapping File: Choose File mapping_file_tutorial.csv
(For parsed CaArray experiment use 2 column format mapping file) Control Sample Set Name*:
Control Samples File: Choose File No file chosen
Cancel Map Samples

The filename of the mapping file we just uploaded now appears next to the 'Choose File' button for 'Subject to Sample Mapping File' (highlighted in red). Now click on the 'Choose File' button next to 'Control Samples File' (highlighted in blue) to begin uploading your control training file.

In the Open dialog that follows, find your mapping file, click on it, and then click on the 'Open' button. (In our example, the mapping file is named 'control_training_file_tutorial.CSV'.)

Open			? ×
Look in:	🔁 tutorial 💌	G 🦸 📂 🛄•	
My Recent Documents Desktop My Documents	 control_microarrayID_training_file.xls mapping_file.xls subject_annotations_vls control_training_file_tutorial.csv mapping_file_tutorial.csv subject_annotations_tutorial.csv ~\$ding Data to an Existing Study in caIntegrator.doc Adding Data to an Existing Study in caIntegrator.doc step 1.png step 18.png step 2.png step 3.png step 4.png 	 step4b.png step5.png step6.png step7.png step9.png step10.png step11b.png step12.png step13.png step14.png step15.png 	
My Computer	•		<u> </u>
My Network Places	File name: control_training_file_tutorial.csv Files of type: All Files	•	Open Cancel
	Ciperi as read-only		//

Click on the 'control_training_file_tutorial.CSV' file (highlighted in red), then click on the 'Open' button (highlighted in blue).

1. Back on the 'Edit Sample Mappings' page, the filename of the control training file you just opened is now displayed to the right of the 'Choose File' button from step 26. Now enter a name for the control sample set in the 'Control Sample Set Name' text field (our example uses 'tutorial controls'), then click on the 'Map Samples' button to map your samples.

Edit Sample Mappings

Upload mapping files and click Map Samples.

Data Source
caArray Server Hostname: array.nci.nih.gov
caArray Server JNDI Port: 8080
caArray Username:
caArray Experiment Id: jacob-00182
Subject to Sample Mapping File: Choose File mapping_file_tutorial.csv
(For parsed CaArray experiment use 2 column format mapping file) Control Sample Set Name*: tutorial controls
Control Samples File: Choose File control_trainitutorial.csv
Cancel Map Samples

The filename of the control training file you just uploaded now appears to the right of the 'Choose File' button (highlighted in red). Enter a title into the 'Control Sample Set Name' text field (highlighted in blue), then click on the 'Map Samples' button (highlighted in green) to map your samples.

1. Back on the 'Edit Study' page, the new mapping and control files we uploaded are now listed under the File Description column, while the Status has changed from 'Not mapped' to 'Ready to be loaded'. We are now done mapping our samples and are ready to query them.

Genomic Data Sources			4 Add New			
Host Name	Experiment Identifier	File Description	Data Type	Status	Last Modified	Action
array.nci.nih.gov	jacob-00182	Mapping File: mapping_file_subjectID_array_sampleD_kak110510.csv Control Sample Mapping File(s): control_microarrayD_training_file_csv.csv	Expression	Ready to be loaded	07/27/2011 11:31:37	 Edit Map Samples Delete
array.nci.nih.gov	jacob-00182	Mapping File (mapping_file_tutorial.csv) Control Sample Mapping File(s): control_training_file_tutorial.csv)	Expression	Ready to be loaded	07/27/2011 11:34:11	Zedit Map Samples

The mapping file we uploaded now appears under the File Description column and is highlighted in red, while the control file we uploaded is highlighted in green. Under the Status column, the status has changed from 'Not mapped' to 'Ready to be loaded' (highlighted in blue).

1. To see what obstacles may arise in the course of loading mapping data, let's try another file. This one, named 'duplicate_mapping_file_tutorial. CSV', will replace the one we loaded in steps 26 to 28. A partial screenshot of this file, taken from a Microsoft Excel 2007 window, is shown below.

85	5084	190
86	5085	191
87	5086	NCI_control9_U133A.mas5
88	5087	NCI_control8_U133A.mas5
89	5088	NCI_control7_U133A.mas5
90	5089	NCI_Control6_U133A.mas5
91	5090	NCI_control19_U133A.mas5
92	5091	NCI_control18_U133.mas5
93	5092	NCI_control17_U133.mas5
94	5093	NCI_control16_U133A.mas5
95	5094	NCI_control15_U133A.mas5
96	5095	NCI_control14_U133A.mas5
97	5096	NCI_control13_U133A.mas5
98	5097	NCI_Control12_U133A.mas5
99	5098	NCI_Control11_U133A.mas5
100	5099	NCI_Control10_U133A.mas5
101	6000	191
102	6001	192

In this mapping file, the same sample (ID 191) is mapped twice, once to subject ID 5085 (highlighted in red) and again to subject ID 6000 (highlighted in blue).

You may notice something unusual about this mappings: the same sample ID (191) is mapped twice, and each mapping is to a different subject ID (5085 in one case, 6000 to another). This is obviously an error in the mappings, as each sample is taken from a single subject and must be unique to that subject. However, the question remains, what happens when we attempt to load these mappings into the study?

Surprisingly, when we repeat the procedure for loading mappings with the 'duplicate_mapping_file_tutorial.CSV', calntegrator does not display any error message, and its source's status shows as 'Ready to be loaded' in the 'Genomic Data Sources' table, as was the case with the previous mapping file we loaded successfully. Does this mean that calntegrator allows multiple mappings of the same sample to different subjects?



When loading an invalid mapping file, caIntegrator does not display any error messages and shows the status of the invalidly mapped source as 'Ready to be loaded' (highlighted in red).

 As it turns out, when calntegrator parses a mapping file in which the same sample is mapped to multiple subjects and encounters a sample ID that has already been mapped, it will overwrite the old mapping with the new one. We can confirm this by clicking on the 'Map Samples' button for the source we mapped and examining the 'Samples Mapped to Subjects' table on the 'Edit Sample Mappings' page.

Samples Mapped to Subjects				
Sample Name	Subject Identifier			
190	5084			
191	6000			

On the 'Edit Sample Mappings' page, sample ID 191 is only mapped to a single subject (highlighted in red), even though the mapping file we just loaded mapped that same sample twice.

As you can see, the mapping table shows only one mapping for sample ID 191, even though this sample was mapped to two different subjects in the new mapping file we just loaded. The subject ID it's mapped to is 6000 (the second one in the mapping file), not 5085 (the fist one in the mapping file). This means that calntegrator overwrote the first mapping of sample ID 191 with the second one.

We've learned a valuable lesson from this exercise: be sure to check your mapping file for any duplicates before loading it into your study, as calntegrator does not perform this check for you!

Querying Array and Mapping Data

1. On the 'Edit Study' page, click on the 'My Studies' drop-down list in the blue banner at the top, then click on 'Demo Study for ICR Folks'.

National Cancer Institute			U.S. Nation	nal institutes of Health www.cancer.gov
CAINTEGRATOR		Ny Studies: Deno Study for ICR Folks		Welcome, hd2266 Logout
STUDY MARAGEMENT editing: Demo Stu Manage Studies	dy for ICR Folks	Demo Study for ICR Folia (sega-56034 Lung-Study-Mapped m/ new test 2	-	

Click on the 'My Studies' drop-down list (highlighted in red), then click on 'Demo Study for ICR Folks' (highlighted in blue).

1. On the 'Welcome' page, click on the 'Search Demo Study for ICR Folks' link under the 'DEMO STUDY FOR ICR FOLKS' heading in the navigation panel at the left.

	National Cancer Ins
	TEGRATOR ITEGRATOR2_R1_2_0_GA date: '09/0
(n	npie Study Logo hax. 200px × 72px)
DEMO ST	UDY FOR ICR FOLKS
Home	
Search	Demo Study for ICR Folks
Create	New List

Click on 'Search Demo Study for ICR Folks' (highlighted in red) to begin querying the study.

1. On the 'Search' page, click on the drop-down list under the 'Define Query Criteria' heading. The list shows the different criteria we can query the study by. Since we want to query genomic data, click on 'Gene Expression', then click on the 'Add' button to the right of the list.

Search Demo Study for ICR Folks



Click on the 'Define Query Criteria' drop-down list (highlighted in red), then click on 'Gene Expression' (highlighted in blue) and click on the 'Add' button (highlighted in green).

1. When querying by gene name, you can either search for a gene symbol or for a fold change. In this example, we'll search by the gene symbol. Click on the 'Gene Name' drop-down list, then click on the 'Gene Name' list entry.

Search Demo Study for ICR Folks

Criteria	Results Type	Sorting	Query Res							
Define Query Criteria for: Unsaved Query										
Gene Expression										
Gene Express	ion Gene Name									
Oor € and	Gene Name Fold Change									

Click on the 'Gene Name' drop-down list (highlighted in red), then click on the 'Gene Name' list entry (highlighted in blue).

1. In the gene symbol text field that appears to the right, type in 'EGFR' (the symbol for the epidermal growth factor gene), then click on the 'Run Query' button below.

Gene Expression	Gene Name	Gene Symbol(s) (comma separated list) or blank for all genes	EGFR	i 🕅 🗐 🔞	🕗 Remove
Cor € and					
		Run Query			_
Type 'ECEP' i	into the 'Gone Symbol' text field (high	alighted in red) then click on the	Pup Query' button (highlig	abted in blue)	

Type 'EGFR' into the 'Gene Symbol' text field (highlighted in red), then click on the 'Run Query' button (highlighted in blue).

1. The query results appear under the 'Query Results' tab as a table of subject IDs for those with available EGFR expression data. Note that these results include subjects not only from the genomic sources that we uploaded in this tutorial, but also from the pre-existing ones. You can confirm this by noting that some of the subject IDs in the results screenshot below (i.e., 10, 309) fall outside the range of IDs from the annotation file we previously uploaded (i.e., 5000 to 5099).

You can sort these results in numerical order of subject ID by clicking on the 'Subject ID' heading above the right table column.

Criteria	Results Type	Sorting	Query Results	Save query as						
Query Res	sults for: Unsave	d Query			Resu	ilts per Page				
120 items found,	20 items found, displaying 1 to 20. [First/Prev] 1, 2, 3, 4, 5, 6 [Next/Last]									
Select Image			Select Sub All None	oject		Subject ID				
			V			5078				
			V			5065				
			V			5034				
			V			5043				
			2			5029				
			5			5040				
			v			5069				
			V			5095				
			v			5055				
			5			5044				
			v			5083				

Click on the Subject ID column heading (highlighted in red) to sort the EGFR gene query results.

1. As it stands, these query results are not very useful, as they only show which subjects have EGFR expression data and don't show the actual data itself. To change this, click on the 'Results Type' tab at the top of the page, then click on the 'Gene Expression' radio button under the 'Select Results Type' heading. This will change the query results to display one or more numerical values which indicate the expression levels of the EGFR gene for each sample.

Criteria Results Type	Sorting	Query Results	Save query as				
Select Results Type:							
Annotation Gene Expression							
Gene Copy I Annota	Gene Expression result type - will display a gene expression data matrix. Copy Number result type - will display segmentation data with Chromosome position. Annotation result type - will display tabular data, including column selection.						
Click on the 'Results Type' tab (highlighted in r	red), then click on	the 'Gene Expression' button	(highlighted in blue).				

1. In the query results, we can choose to display every EGFR expression value for a given sample, or to display a single value which represents the median of that sample's values. For simplicity's sake, let's choose the latter option by clicking on the 'Gene' button next to 'Select Reporter Type', then clicking on the 'Run Query' button to display the results.

Criteria	Results Type	Sorting	Query Results	Save query as						
Select Results Type:										
	○ Annotation • Gene Expression									
	Gene Expression result type - will display a gene expression data matrix. Copy Number result type - will display segmentation data with Chromosome position. Annotation result type - will display tabular data, including column selection.									
	Select R Repo Gene	eporter Type: der Id - will displa - will display a m	Reporter Id y all reporter ids. edian value for each gene.	3						
	Select R	esults Oriental	tion: C Genes in Rows	/ Subjects in Columns	Genes in Columns / Subjects in Rows					
	Genes in Rows / Subjects in Columns - will display the subjects and samples along the top and genes and reporters along the sid Genes in Columns / Subjects in Rows - will display the genes and reporters along the top and subjects and samples along the sid few reporters.									
				Run Query						

Click on the 'Gene' button (highlighted in red) to display a single value representing each subject's EGFR expression levels in the query results, then click on the Run Query button (highlighted in blue) to display the results.

1. Back on the 'Query Results' page, there are now two additional columns of data: Sample ID and EGFR. The value in the EGFR column represents the median of the gene's expression levels for the corresponding subject and sample. Note that the screenshot below only displays the first five results in the list; you can scroll down the list via the bar at the right to view the rest of the results.

Criteria Results Type Sorting	Query Results Save query as			
Query Results for: Unsaved Query				0
		Gene	EGFR 0	-
Subject ID	Sample ID			
5033	135		99.05	
5021	121		117.67	
5097	NCI_Control12_U133A.mas5		79.61	- 11
5017	117		82.5	
5009	109		50.58	

The query results now show two additional columns: Sample ID and EGFR. The latter represents median EGFR expression values. Click on the 'Save query as...' tab (highlighted in red) to save these results for future reference.

To save this query in calntegrator for future reference, click on the 'Save query as..' tab at the top of the page, enter a name and description for the query in the respective fields, and click on the 'Save Query' button at the bottom.

Search Demo Study for ICR Folks

Search Demo Study for ICR Folks

Criteria	Results Type	Sorting	Query Results	Save query as
Save This Query				
Query Name: Genomic query				
	Query Description: An example query of genomic data			
Save Query				

Enter a query name and query description in the respective text fields, then click on the 'Save Query' button (highlighted in red) to save the query for future reference.

1. Once the query is saved, the Search page will reload and the Study Data menu in the left navigation panel will expand to show the newly saved 'Genomic Query' under the 'My Queries' heading. You can click on the magnifying glass icon to the left of the Query link to bring up the query results again, or on the pencil icon to edit the query criteria.



The newly saved 'Genomic query' (highlighted in red) is shown in the 'Study Data' menu under 'My Queries'.

Have a comment?

Please leave your comment in the calntegrator End User Forum.