

LexEVS Meeting Minutes - Value Set Architecture Planning Session - 2017.04.24

Attendees

Name	Role	Present
Safran, Tracy	NIH/NCI [C]	x
Wynne, Robert	NIH/NCI [C]	x
Ong, Kim L	IS	x
Lucas, Jason R	IS	x
Bauer, Scott	Mayo	x
Stancl, Craig	Mayo	
Endle, Cory	Mayo	x

Resources

- [LexEVS 6.5.1 Value Set Architecture](#)

Agenda

Overview of slides for value set architecture ideas	<p>Discussion Points:</p> <ul style="list-style-type: none">• Scott started by going over the VS slides<ul style="list-style-type: none">◦ Kim mentioned there are two value set hierarchies (view) in the browser<ul style="list-style-type: none">▪ From coding scheme<ul style="list-style-type: none">• NCI Thesaurus▪ From source (hierarchical position)<ul style="list-style-type: none">• Neoplasms is an example◦ We always point sourceToTarget◦ leafOnly=false<ul style="list-style-type: none">▪ We can write a vs loader that can ignore these.◦ Question: How to identify identical VS for different agencies. They need different URIs.◦ OWL VS top node count - Tracy suggested that the count returned is valid.<p>Decision Points:</p>
Discuss requirements	<p>Discussion Points:</p> <ul style="list-style-type: none">• We went to the VS Architecture page to capture requirements<ul style="list-style-type: none">◦ LexEVS 6.5.1 Value Set Architecture <p>Decision Points:</p>