Registering from Your Local System via the GUI

If your user account has the Write or Own permission level on an existing collection in DME, and if that existing collection has been configured to contain data files, you can register a data file into that collection (up to 10 GB). This page describes how to register one data file at a time. For instructions on registering multiple files, refer to Registering Data in Bulk via the GUI.

To register a data file:

- 1. Log in as described in Logging In via the GUI. The Dashboard appears.
- Browse for the data destination, as described in Browsing for Data via the GUI. Navigate to and right-click the collection in which you want to register your data file. Click Add Data File. (Another option is as follows: Click Register tab > Data File.) The Register Data File page appears.

Deta De	stination	
Base Path:	Select	~
Collection Type:	Select	~
Data File Patri 👩		
Checksum (This ve transfor): Choose File No	erre siue is used to validate della	
Checksum (This va transfer): Choose File No III Metadata III Add Met	erce	
Checkeum (This re transfer): Checke File No Metadata C Add Met Etribute Name	erre iun is uest to velicite data efre chosen adota	

If you browsed to the data destination, that portion of the page has only the Data File Path field, with a system-generated collection path already specified.

- 3. If the Base Path and Collection Type fields are available, specify the data destination:
 - a. Select the base path specified by your group administrator. An information icon (2) appears next to the Base Path field and the system begins to populate values in the Collection Type field.

Base Path:	/FNLSF_Archive	÷
Collection Type:	Select	~
Collection Path: 👩		

Consider examining the valid hierarchy for the selected base path. To do so, click the information icon next to the Base Path field. A Data Hierarchy and Metadata Structure chart appears. For details, refer to Viewing the Data Hierarchy and Metadata Structure for an Archive.

- b. If there is more than one collection type, select the one in which you want to register data. For guidance on selecting a collection type,
- refer to your group administrator. For some collection types, the system displays a list of required and optional metadata attributes. 4. Specify the data source:
 - a. Consider specifying a checksum for validation of data transfer. By default, the system does not perform this calculation because it can increase the time required to register the data, depending on the file size.
- b. Click Choose File. Navigate to and select your data file. The system appends the data file name to the value in the Data File Path field.
 5. In the Data File Path field, specify the full path, including the base path and the name of the file you intend to register. The characters allowed in a file name depend on the operating system:
 - Windows accepts any characters except forward slash (/), backslash (\), colon (:), semicolon (;), asterisk (*), question mark (?), double quote ("), less than (<), greater than (>), pipe (I), or space.
 - Other operating systems allow any characters except question mark (?), semicolon (;), backslash (\), double quote ("), or space.

Consider the following example:

Path	Example
Base path	/SAMPLE_Archive
Data file path	/SAMPLE_Archive/PI_Lab_Name/ProjectN/data.txt

6. Consider hovering over the information icon (3) for each required attribute. A tooltip appears with information about that attribute.



- Specify the file metadata:
 - a. To add a metadata attribute:
 - i. Click Add Metadata, visible on the right or left side of the page. A blank attribute row appears.

E Add Netadata		
itz bute Name	Value	

ii. Specify a unique attribute name.

If you change your mind about adding an attribute, click the trash can icon next to that attribute. If you proceed to update the collection with a new attribute, the attribute name is permanent.

b. In each attribute row, specify a unique value that describes the content you are registering. The character limit for each metadata value is 2700.

Example Attribute	Example Value
data_owner	Jane Doe
project_id	1234567890
sample_name	L1
project_start_date	2020-12-31

For some date attributes, such as project_start_date, the system expects the "yyyy-MM-dd" format, as in the above example. 8. Click **Register**. The system checks whether the data you have entered is valid for the selected base path and collection type:

- If the data you have entered is not valid, the system displays an error message.
 If the data you have entered is valid, the system saves the new data file and metadata. The Data File page appears, displaying details about the new data file. For information, refer to Viewing Metadata via the GUI.