

NCI CTRP Accrual REST Service Guide

Topic Links

- [Introduction](#)
- [Service Endpoints](#)
- [Access Requirements](#)
- [API Specification](#)
 - [XML Schema](#)
 - [Add/Update Accruals - Subject & Partial Subject](#)
 - [Description](#)
 - [HTTP Method](#)
 - [URL](#)
 - [Request Body](#)
 - [Response Body](#)
 - [HTTP Response Codes](#)
 - [Update Accruals - Summary](#)
 - [Description](#)
 - [HTTP Method](#)
 - [URL](#)
 - [Request Body](#)
 - [Response Body](#)
 - [HTTP Response Codes](#)
 - [Delete Study Subject](#)
 - [Description](#)
 - [HTTP Method](#)
 - [URL](#)
 - [Request Body](#)
 - [Response Body](#)
 - [HTTP Response Codes](#)
 - [Report CDUS Batch File for Asynchronous Processing](#)
 - [Description](#)
 - [HTTP Method](#)
 - [URL](#)
 - [Request Body](#)
 - [Response Body](#)

This section provides instructions for managing subject accruals via the NCI CTRP Accrual REST Service.

Introduction

The Accrual REST Service is a CTRP Web Service that provides the following operations in a REST-like fashion:

- Add or update study subject accrual information on a given participating site
- Delete specific study subject accrual information from a given participating site
- Report accrual count for a participating site in an Abbreviated study

The service uses XML for data exchange.

Service Endpoints

Inside the NIH Firewall (VPN required)

- DEVINT: <https://trials-int.nci.nih.gov/accrual-services>

Outside of the NIH Firewall

- STAGE: <https://trials-stage.nci.nih.gov/accrual-services>
- PROD: <https://trials.nci.nih.gov/accrual-services>

Access Requirements

To use the service, you must have a valid NCI CTRP account. For instructions, refer to [Creating New NCI CTRP User Accounts](#). All service endpoints require Okta token authentication with your NCI CTRP Client ID and Client Secret. Contact CTRP_support@nih.gov to have a NCI CTRP Client ID and Client secret generated for your CTRP REST account.

See the following document for generating an Okta access token using your CTRP Client ID and Client Secret: [NCI CTRP API Authentication Guide](#)

API Specification

XML Schema

The service uses XML for data exchange. All XML elements going in or out of the service are defined and validated against the following XML schema:

[accrual_ws.xsd](#)

The XML schema is well-annotated with inline documentation that explains the purpose and meaning of various elements, types, and attributes. Specific elements required for service operations are explained in the sections below.

Add/Update Accruals - Subject & Partial Subject

Description

This operation reports Subject & Partial Subject accrual information for a specific participating site on a study. If the subject accrual record already exists for the specified study and participating site, this operation will update that record accordingly. If you report multiple Subject accrual records all with the same subject ID within the same request, the last record in the list will supplant the others. The submitter must have accrual access to the site.

HTTP Method

PUT

URL

Three options are available:

1. `/sites/{id}`
 - a. `{id}`. CTRP numeric identifier of a participating site
 - b. Example: <https://trials-stage.nci.nih.gov/accrual-services/sites/121787425>
2. `/trials/{idType}/{trialID}/sites/po/{id}`
 - a. `{idType}`. Type of identifier you want to use to identify a study in CTRP. Possible values: *pa*, *nci*, *ctep*, *dcp*.
 - b. `{trialID}`. Trial identifier value itself
 - c. `{id}`. PO identifier of the organization that is the site on the study
 - d. Example: <https://trials-int.nci.nih.gov/accrual-services/trials/nci/NCI-2019-00038/sites/po/7434>
3. `/trials/{idType}/{trialID}/sites/ctep/{id}`
 - a. `{idType}`. Type of identifier you want to use to identify a study in CTRP. Possible values: *pa*, *nci*, *ctep*, *dcp*.
 - b. `{trialID}`. Trial identifier value itself
 - c. `{id}`. CTEP identifier of the organization that is the site on the study
 - d. Example: <https://trials-int.nci.nih.gov/accrual-services/trials/nci/NCI-2019-00038/sites/ctep/WQ456>

Request Body

XML document with `studySubjects` root element (see XML Schema). MIME Type: `application/xml`.

Examples - Subject Accrual

Request XML:

The following XML request shows an example for reporting five study subjects to site 121787425 using ICD9 for disease codes. Note that the `<siteDisease>` is not required since the disease code used is ICD9.

```
<tns:studySubjects xmlns:tns="gov.nih.nci.accrual.webservices.types"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="gov.nih.nci.accrual.webservices.types ../../src/resources/ws.xsd ">
  <tns:studySubject>
    <tns:identifier>SU001</tns:identifier>
    <tns:birthDate>2002-01-01</tns:birthDate>
    <tns:gender>Female</tns:gender>
    <tns:race>Black or African American</tns:race>
    <tns:ethnicity>Not Hispanic or Latino</tns:ethnicity>
    <tns:country>USA</tns:country>
    <tns:zipCode>22201</tns:zipCode>
    <tns:registrationDate>2014-01-01</tns:registrationDate>
```

```

        <tns:methodOfPayment>MEDICAID_AND_MEDICARE</tns:methodOfPayment>
        <tns:disease codeSystem="ICD9">861.20</tns:disease>
    </tns:studySubject>
    <tns:studySubject>
        <tns:identifier>SU002</tns:identifier>
        <tns:birthDate>2002-01-01</tns:birthDate>
        <tns:gender>Male</tns:gender>
        <tns:race>Native Hawaiian or Other Pacific Islander</tns:race>
        <tns:ethnicity>Not Reported</tns:ethnicity>
        <tns:country>CAN</tns:country>
        <tns:registrationDate>2014-01-01</tns:registrationDate>
        <tns:methodOfPayment>MILITARY_OR_VETERANS</tns:methodOfPayment>
        <tns:disease codeSystem="ICD9">861.20</tns:disease>
    </tns:studySubject>
    <tns:studySubject>
        <tns:identifier>SU003</tns:identifier>
        <tns:birthDate>2002-01-01</tns:birthDate>
        <tns:gender>Unknown</tns:gender>
        <tns:race>American Indian or Alaska Native</tns:race>
        <tns:race>Asian</tns:race>
        <tns:race>Black or African American</tns:race>
        <tns:race>Native Hawaiian or Other Pacific Islander</tns:race>
        <tns:race>Not Reported</tns:race>
        <tns:race>Unknown</tns:race>
        <tns:race>White</tns:race>
        <tns:ethnicity>Unknown</tns:ethnicity>
        <tns:country>CAN</tns:country>
        <tns:registrationDate>2014-01-01</tns:registrationDate>
        <tns:methodOfPayment>NO_MEANS_OF_PAYMENT</tns:methodOfPayment>
        <tns:disease codeSystem="ICD9">861.20</tns:disease>
    </tns:studySubject>
    <tns:studySubject>
        <tns:identifier>SU004</tns:identifier>
        <tns:birthDate>2002-01-01</tns:birthDate>
        <tns:gender>Unspecified</tns:gender>
        <tns:race>Native Hawaiian or Other Pacific Islander</tns:race>
        <tns:ethnicity>Not Reported</tns:ethnicity>
        <tns:country>AFG</tns:country>
        <tns:registrationDate>2011-01-01</tns:registrationDate>
        <tns:methodOfPayment>STATE_SUPPLEMENTAL</tns:methodOfPayment>
        <tns:disease codeSystem="ICD9">861.20</tns:disease>
    </tns:studySubject>
    <tns:studySubject>
        <tns:identifier>SU005</tns:identifier>
        <tns:birthDate>1990-01-01</tns:birthDate>
        <tns:gender>Female</tns:gender>
        <tns:race>American Indian or Alaska Native</tns:race>
        <tns:race>Asian</tns:race>
        <tns:race>Black or African American</tns:race>
        <tns:race>Native Hawaiian or Other Pacific Islander</tns:race>
        <tns:race>Not Reported</tns:race>
        <tns:race>Unknown</tns:race>
        <tns:race>White</tns:race>
        <tns:ethnicity>Hispanic or Latino</tns:ethnicity>
        <tns:country>USA</tns:country>
        <tns:zipCode>22222</tns:zipCode>
        <tns:registrationDate>2014-01-01</tns:registrationDate>
        <tns:methodOfPayment>MANAGED_CARE</tns:methodOfPayment>
        <tns:disease codeSystem="ICD9">011.41</tns:disease>
    </tns:studySubject>
</tns:studySubjects>

```

Request XML (Specifying Topography and Morphology codes using ICD-O-3)

The following XML request shows an example for reporting one study subject to site 121787425 using ICD-O-3 for the Topography code. Note that when the Topography <codeSystem> = "ICD-O-3", both the <disease> and the <siteDisease> are mandatory.

```

<tns:studySubjects xmlns:tns="gov.nih.nci accrual.webservices.types"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="gov.nih.nci accrual.webservices.types ../../src/resources/ws.xsd ">
  <tns:studySubject>
    <tns:identifier>SU006</tns:identifier>
    <tns:birthDate>2002-01-01</tns:birthDate>
    <tns:gender>Female</tns:gender>
    <tns:race>Black or African American</tns:race>
    <tns:ethnicity>Not Hispanic or Latino</tns:ethnicity>
    <tns:country>USA</tns:country>
    <tns:zipCode>22201</tns:zipCode>
    <tns:registrationDate>2014-01-01</tns:registrationDate>
    <tns:methodOfPayment>MEDICAID_AND_MEDICARE</tns:methodOfPayment>
    <tns:disease codeSystem="ICD-O-3">8012/3</tns:disease>
    <tns:siteDisease codeSystem="ICD-O-3">C34.1</tns:siteDisease>
  </tns:studySubject>
</tns:studySubjects>

```

Request XML (Specifying Disease and Site Disease codes using Legacy Codes - CTEP)

The following XML request shows an example for reporting one study subject to site 121787425 using Legacy Codes - CTEP for the disease code.

```

<tns:studySubjects xmlns:tns="gov.nih.nci accrual.webservices.types"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="gov.nih.nci accrual.webservices.types ../../src/resources/ws.xsd ">
  <tns:studySubject>
    <tns:identifier>SU007</tns:identifier>
    <tns:birthDate>2002-01-01</tns:birthDate>
    <tns:gender>Female</tns:gender>
    <tns:race>American Indian or Alaska Native</tns:race>
    <tns:ethnicity>Not Hispanic or Latino</tns:ethnicity>
    <tns:country>USA</tns:country>
    <tns:zipCode>22201</tns:zipCode>
    <tns:registrationDate>2014-01-01</tns:registrationDate>
    <tns:methodOfPayment>MANAGED_CARE</tns:methodOfPayment>
    <tns:disease codeSystem="Legacy Codes - CTEP">10001418</tns:disease>
  </tns:studySubject>
</tns:studySubjects>

```

Examples - Partial Accrual

Request XML:

The following XML request shows an example for reporting one study subject to site 7434 using ICD-O-3 for the disease code. Note: for ICD-O-3 studies neither <disease> and <siteDisease> are mandatory. However, if <disease> is included then <siteDisease> must be included.

```

<tns:studySubjects xmlns:tns="gov.nih.nci accrual.webservices.types"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="gov.nih.nci accrual.webservices.types ../../src/resources/ws.xsd ">
  <tns:studySubject>
    <tns:identifier>SU100</tns:identifier>
    <tns:registrationDate>2014-01-01</tns:registrationDate>
  </tns:studySubject>
</tns:studySubjects>

```

Request XML:

The following XML request shows an example for reporting one study subject to site 7434 using ICD-O-3 for the disease code with <disease> and <siteDisease> included.

```
<tns:studySubjects xmlns:tns="gov.nih.nci accrual.webservices.types"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="gov.nih.nci accrual.webservices.types ../src/resources/ws.xsd ">
  <tns:studySubject>
    <tns:identifier>SU101</tns:identifier>
    <tns:registrationDate>2014-01-01</tns:registrationDate>
    <tns:disease codeSystem="ICD-O-3">8012/3</tns:disease>
    <tns:siteDisease codeSystem="ICD-O-3">C34.1</tns:siteDisease>
  </tns:studySubject>
</tns:studySubjects>
```

Response Body

None (if successful) or an error message. MIME Type: text/plain.

HTTP Response Codes

Code	Response
200	Success
400	Validation error
404	Participating site not found
500	Internal server error

Update Accruals - Summary

Description

This operation updates accrual counts for a participating site on an Abbreviated (Industrial) study.

HTTP Method

PUT

URL

Three options are available:

1. `/sites/{siteID}/count?count={count}&cutOffDt={cutOffDate}`
 - a. **{siteID}**. CTRP numeric identifier of a participating site.
 - b. **{count}**. Mandatory parameter. The accrual count for the site.
 - c. **{cutOffDate}**. The cut-off date for the accrual count, in the format MM-DD-YYYY.
 - d. Example: <https://trials-stage.nci.nih.gov/accrual-services/sites/28577/count?count=10&cutOffDt=03-10-2015>
2. `/trials/{idType}/{trialID}/sites/po/{poid}/ count?count={count}&cutOffDt={cutOffDate}`
 - a. **{idType}**. Type of identifier you want to use to identify a study in CTRP. Possible values: *pa*, *nci*, *ctep*, *dcp*.
 - b. **{trialID}**. Trial identifier value itself.
 - c. **{poid}**. PO identifier of the organization that is the site on the study.
 - d. **{count}**. Mandatory parameter. The accrual count for the site.
 - e. **{cutOffDate}**. The cut-off date for the accrual count, in the format MM-DD-YYYY.
 - f. Example: <https://trials-int.nci.nih.gov/accrual-services/trials/nci/NCI-2018-03045/sites/po/7434/count?count=10&cutOffDt=03-10-2015>
3. `/trials/{idType}/{trialID}/sites/ctep/{id}/ count?count={count}&cutOffDt={cutOffDate}`
 - a. **{idType}**. Type of identifier you want to use to identify a study in CTRP. Possible values: *pa*, *nci*, *ctep*, *dcp*.
 - b. **{trialID}**. Trial identifier value itself.
 - c. **{id}**. CTEP identifier of the organization that is the site on the study.
 - d. **{count}**. Mandatory parameter. The accrual count for the site.
 - e. **{cutOffDate}**. The cut-off date for the accrual count, in the format MM-DD-YYYY.
 - f. Example: <https://trials-int.nci.nih.gov/accrual-services/trials/nci/NCI-2018-03045/sites/ctep/WQ456/count?count=20&cutOffDt=03-10-2015>

Request Body

None.

Response Body

None (if successful) or an error message. MIME Type: text/plain.

HTTP Response Codes

Code	Response
200	Success
400	Validation error
401	Authentication/Authorization Failure: invalid username/password or insufficient permissions to access the service
404	Participating site/study subject not found
500	Internal server error (includes the condition of updating/deleting a study subject that you don't have accrual access to)

Delete Study Subject

Description

Deletes specific study subject (patient) accrual information from a participating site.

HTTP Method

DELETE

URL

Three options are available:

1. `/sites/{siteID}/subjects/{subjectID}`
 - a. **{siteID}**. CTRP numeric identifier of a participating site
 - b. **{subjectID}**. Study subject identifier
 - c. Example: <https://trials-stage.nci.nih.gov/accrual-services/sites/28577/subjects/SU001>
2. `/trials/{idType}/{trialID}/sites/po/{poid}/subjects/{subjectID}`
 - a. **{idType}**. Type of identifier you want to use to identify a study in CTRP. Possible values: *pa*, *nci*, *ctep*, *dcp*.
 - b. **{trialID}**. Trial identifier value itself
 - c. **{poid}**. PO identifier of the organization that is the site on the study
 - d. **{subjectID}**. Study subject identifier
 - e. Example: <https://trials-stage.nci.nih.gov/accrual-services/trials/nci/NCI-2014-00233/sites/po/7434/subjects/SU001>
3. `/trials/{idType}/{trialID}/sites/ctep/{ctepID}/subjects/{subjectID}`
 - a. **{idType}**. Type of identifier you want to use to identify a study in CTRP. Possible values: *pa*, *nci*, *ctep*, *dcp*.
 - b. **{trialID}**. Trial identifier value itself
 - c. **{ctepID}**. CTEP identifier of the organization that is the site on the study
 - d. **{subjectID}**. Study subject identifier
 - e. Example: <https://trials-stage.nci.nih.gov/accrual-services/trials/nci/NCI-2014-00233/sites/ctep/WQ456/subjects/SU001>

Request Body

NONE

Response Body

None (if successful) or an error message. MIME Type: text/plain.

HTTP Response Codes

Code	Response
200	Success
400	Validation error
404	Study subject not found
500	Internal server error

Report CDUS Batch File for Asynchronous Processing

Refer to the following on batch file formats: [Complete Trial Data Record Formats](#), [Abbreviated Trial Data Record Formats](#)

Description

With this operation, you can upload a CDUS batch file. The system processes this file asynchronously and sends the results of processing by email to the reporting user.

HTTP Method

Post

URL

/batch

Example: <https://trials-stage.nci.nih.gov/accrual-services/batch>

Content-Type: application/xml

Accept: application/xml

Request Body

XML document with batchFile root element.

In this example, consider the following CDUS Accrual information for a typical CDUS Accrual file:

```
"COLLECTIONS", "NCI-2014-02593",,,,,,,,,,
"PATIENTS", "NCI-2014-02593", "g2", "20850", "US", "198003", "Male", "Not Reported", "Medicaid and Medicare", "
20140930", "120894",,,,,,,,,, "250.02",,
"PATIENT_RACES", "NCI-2014-02593", "g2", "White"
```

How to Construct the Body:

1. Convert the CDUS Accrual information to Base64 encoding. You can do so using Base64 Encoding feature in the Notepad++ application. (Other tools can be found here: <https://www.google.com/#q=base64+encoding+tool> .) If you convert the above example information, the result would be as follows:

```
IknPTExFQ1RJT05TIiwiTkNjLTlwMTQtMDI1OTMiLCwSLCwSLCwSDQoiUEFUSUV0VFMiLCJ0Q0ktMjAxNC0wMjU5MyIsImcyIiwiMjA4N
TAiLCJVUyIsIjE5ODAwMyIsIk1hbGUiLCJ0b3QgUmVwb3J0ZWQiLCJNZWRpY2FpZCBhbmQgTWVkaWNoUmUuLCIyMDE0MDkzMCIzLCIxMj
A4OTQiLCwSLCwSLCwSLCIyNTAuMDIiLCwNCiJQVRJRUSX1JBQ0VTIiwiTkNjLTlwMTQtMDI1OTMiLCJnMiIsIldoaXRlIjg==
```

2. Insert the Base64 encoded text between <batchFile xmlns="gov.nih.nci accrual.webservices.types"> and </batchFile> tags, as follows:

```
<batchFile xmlns="gov.nih.nci accrual.webservices.types">
>IknPTExFQ1RJT05TIiwiTkNjLTlwMTQtMDI1OTMiLCwSLCwSLCwSDQoiUEFUSUV0VFMiLCJ0Q0ktMjAxNC0wMjU5MyIsImcyIiwiMjA4N
NTAiLCJVUyIsIjE5ODAwMyIsIk1hbGUiLCJ0b3QgUmVwb3J0ZWQiLCJNZWRpY2FpZCBhbmQgTWVkaWNoUmUuLCIyMDE0MDkzMCIzLCIxMj
A4OTQiLCwSLCwSLCwSLCIyNTAuMDIiLCwNCiJQVRJRUSX1JBQ0VTIiwiTkNjLTlwMTQtMDI1OTMiLCJnMiIsIldoaXRlIjg==<
/batchFile>
```

Response Body

None (if successful) or an error message. MIME Type: text/plain.